

# FIRST SEIZURE EVENT IN MODENA: Characteristics of Adolescents and Adults Observed in 2023


L. Taruffi<sup>1</sup>, G. Giovannini<sup>2</sup>, G. Leonardi<sup>3</sup>, V. Andri<sup>4</sup>, D. Grisanti<sup>4</sup>, N. Orlandi<sup>2,3</sup>, M. Pugnaghi<sup>2</sup>, M. Burani<sup>1</sup>, M. Malerba<sup>3</sup>, G. Bandiera<sup>4</sup>, S. Meletti<sup>2,3</sup>

1. Post-graduate School of Neurology, Department of Biomedical, Metabolic and Neurosciences; University of Modena and Reggio Emilia
2. Clinical Neurophysiology Unit and Epilepsy Center, University Hospital of Modena
3. Department of Biomedical, Metabolic and Neurosciences; University of Modena and Reggio Emilia
4. Emergency Department, Baggiovara Civil Hospital, University Hospital of Modena, Italy


## OBJECTIVES

- The **appropriate management** of first seizure events (FSE) in the Emergency Department (ED) has is a critical factor for both **short- and long-term outcomes**.<sup>1,2</sup>
- Aim: Evaluate early management, diagnosis, and treatment decisions in patients admitted to the for a **first seizure event (FSE)**

## METHODS



## RESULTS



## CONCLUSIONS

FSEs are more than a “first seizure”, with a high incidence of clusters/status epilepticus as well as complications, need for acute treatments, and hospital admission.  
**The clinical presentation is crucial in determining the risk of early recurrence in the ED.**

## REFERENCES

1. De Stefano P, et al. Added value of advanced workup after the first seizure: A 7-year cohort study. *Epilepsia*. 2023;00:1–11.
2. Ménétré E, et al. Antiseizure medication ≤48 hours portends better prognosis in new-onset epilepsy. *Eur J Neurol*. 2024;31:e16107.